## **STANDING MOBILE SHIELD**

PHILLIPS-SAFETY.COM

COPYRIGHT ©2025. ALL RIGHTS RESERVED

PRODUCT INFORMATION



## PRODUCT INFORMATION

STANDING MOBILE SHIELD | LB-MB-4821



The Standing Mobile Shield is a radiation protective barrier with 2.0mm PbEq sheets between steel plates for optimum protection. With a compact design and opaque steel sides, this lead shield features an H-base which allows for easy access to procedure floor control pedals. Made of an easy-to-clean material, it also has a grip handle on the back of the shield for easy mobility. In addition, the Phillips Safety Standing Mobile Shield features a locking caster system. This standing mobile shield's overall measurements are 48" H x 21.5" W x 16" D, weighing 122 lbs.

## **SPECIFICATION**


SIZE: 48" H x 21.5" W x 16" D

WEIGHT: 122 lb

**PROTECTION LEVEL: 2.0mm Pb LE** 

MATERIAL: 2.0mm thick lead sheets | Steel

FEATURES: H-Base for easy access, Mobile, Locking caster, Grip handle on back of shield for easy mobility



## CONTACT

Should you need any further information,

123 Lincoln Blvd, Middlesex, NJ 08846, USA



+1 866 575 1307



service@phillips-safety.com



www.phillips-safety.com



