CUSTOM RADIATION SHIELDING GLASS

PRODUCT INFORMATION

PHILLIPS-SAFETY.COM

COPYRIGHT ©2026. ALL RIGHTS RESERVED

PHILLIPS SAFETY
PRODUCTS INC.

PRODUCT INFORMATION
CUSTOM RADIATION SHIELDING GLASS
RSG-CUSTOM



The Custom Radiation Shielding Glass by Phillips Safety provides a versatile solution for radiation protection applications that require specific dimensions and shielding levels. Available in custom sizes ranging from 12″ × 12″ to 48.5″ × 96″, this glass accommodates a variety of installation requirements.

The glass measures 8 mm thick (±1 mm) and offers a standard lead equivalency of 2.0 mm Pb. For applications requiring different protection levels, Phillips Safety also offers 1.6 mm, 2.5 mm, 3.0 mm, and 3.7 mm Pb lead equivalencies. Additionally, custom shielding levels are available to meet specific project requirements.

For specialized applications, Phillips Safety also offers Nuclear Radiation Shielding Glass for nuclear medicine and nuclear shielding environments.

To receive a quote for your custom radiation shielding glass, please contact our sales team with the following information: estimated quantity, size, and tolerances.

SPECIFICATIONS

SIZE RANGE: 12” × 12” to 48.5” × 96”

MATERIAL: Lead Glass

COLOR: Clear

GLASS THICKNESS: 8 mm (±1 mm)

LEAD EQUIVALENCY: Standard: 2.0 mm Pb
Also available: 1.6 mm Pb, 2.5 mm Pb, 3.0 mm Pb, 3.7 mm Pb

PRODUCT INFORMATION
CUSTOM RADIATION SHIELDING GLASS
RSG-CUSTOM



CONTACT

Should you need any further information,
please do not hesitate to contact us.

123 Lincoln Blvd, Middlesex, NJ 08846, USA

+1 866 575 1307

service@phillips-safety.com

www.phillips-safety.com