MRI SAFE MOBILE LEADED BARRIER WITH 30" x 48" WINDOW LB-3048-MRI, LB-3048-MRI-ACR

PHILLIPS-SAFETY.COM COPYRIGHT ©2025. ALL RIGHTS RESERVED



PRODUCT INFORMATION

MRI SAFE MOBILE LEADED BARRIER WITH 30"x 48" WINDOW LB-3048-MRI, LB-3048-MRI-ACR



The MRI-Safe Mobile Leaded Aluminum Barrier with 30" x 48" Window is a portable, full-body radiation barrier designed to protect against secondary radiation. It features 2.0mm lead equivalent opaque panels of solid, leaded x-ray protection with contoured sides and is safe to be used in Magnetic Resonance Imaging procedures. Its large 30" W x 48" H lead equivalency window is a viewing panel which can be chosen in two different materials: a 2.0mm lead equivalent high-quality Schott leaded glass or a 0.5mm lead equivalent leaded acrylic. With an overall size of 33.5" W x 75" H, this Phillips Safety leaded barrier travels easily on its four-caster locking base steel legs. Please note that the shipping weight is approximately 225 lb. It is recommended that two people move the barrier together at all times.

SPECIFICATION


WINDOW SIZE: 30"x 48" PROTECTION: 2.0mm Pb LE opaque panels WINDOW PROTECTION: leaded glass 2.0mm Pb LE or acrylic 0.5mm Pb LE

BARRIER AVAILABLE SIZES: 33.5"W x 75"H

MATERIAL: Lead glass or acrylic, opaque panel solid lead. FEATURES: Safe to be used in magnetic resonance, portable, leaded x-ray protection with contoured sides, heavy duty, 4-castor base.

PRODUCT INFORMATION

MRI SAFE MOBILE LEADED BARRIER WITH 30"x 48" WINDOW LB-3048-MRI, LB-3048-MRI-ACR



PRODUCT INFORMATION

MRI SAFE MOBILE LEADED BARRIER WITH 30"x 48" WINDOW LB-3048-MRI, LB-3048-MRI-ACR

CONTACT

Should you need any further information, please do not hesitate to contact us.

123 Lincoln Blvd, Middlesex, NJ 08845, USA 🛛 🧕



service@phillips-safety.com



www.phillips.safety.com



PHILLIPS-SAFETY.COM