## **MOBILE LEADED BARRIER WITH 30" X 48" WINDOW**

PRODUCT INFORMATION


PHILLIPS-SAFETY.COM

COPYRIGHT ©2025. ALL RIGHTS RESERVED



## PRODUCT INFORMATION

MOBILE LEADED BARRIER WITH 30" X 48" WINDOW| LB-3048



The Mobile Leaded Barrier with 30" x 48" Window is a portable, full-body radiation barrier designed to protect against secondary radiation. It features 2.0mm lead equivalent opaque panels of solid, leaded x-ray protection with contoured sides. Its large 30" W x 48" H lead equivalency window is a viewing panel which can be chosen in two different materials: a 2.0mm lead equivalent high-quality Schott leaded glass or a 0.5mm lead equivalent leaded acrylic. With an overall size of 33.5" W x 75" H, this Phillips Safety leaded barrier travels easily on its four-caster locking base steel legs. Please note that the shipping weight is approximately 225 lb. It is recommended that two people move the barrier together at all times.

## **SPECIFICATION**

**WINDOW SIZE: 30" x 48"** 


**OVERALL SIZE: 33.5"W x 75"H** 

**WINDOW MATERIAL: Glass or Acrylic** 

WINDOW PROTECTION LEVEL: Lead glass 2.0mm

Pb LE or Lead acrylic 0.5mm Pb LE

FEATURES: Portable, leaded x-ray protection with contoured sides, heavy duty, full body, 4-castor base



## CONTACT

Should you need any further information,

123 Lincoln Blvd, Middlesex, NJ 08846, USA



+1 866 575 1307



service@phillips-safety.com



www.phillips-safety.com



