

REPLACEMENT CASTER FOR MOBILE RADIATION BARRIERS

PRODUCT INFORMATION

PHILLIPS-SAFETY.COM


COPYRIGHT ©2025. ALL RIGHTS RESERVED



PHILLIPS SAFETY
PRODUCTS INC.

PRODUCT INFORMATION

REPLACEMENT CASTER FOR MOBILE RADIATION BARRIERS | LB-CASTER-B



The Replacement Caster for Mobile Radiation Barriers is a locking caster with brake for mobile barriers. It has 75mm (3 in) wheel diameter, with a load capacity of 100kg. Please note that if all casters need to be replaced, you must select a quantity of 4 replacement casters.

The Replacement Caster for Mobile Radiation Barriers fit the following mobile radiation barriers: Mobile Leaded Barrier with 12" x 10" Window, Mobile Leaded Barrier with 24" x 20" Window, Mobile Leaded Barrier with 24" x 30" Window, MRI-Safe Mobile Leaded Aluminum Barrier with 30" x 24" Window, Tilted Mobile Leaded Barrier with 30" x 24" Window, MRI-Safe Mobile Leaded Aluminum Barrier with 30" x 60" Window, Mobile Leaded Barrier with 30" x 60" Window, Mobile Leaded Barrier with 30" x 48" Window, MRI-Safe Mobile Leaded Aluminum Barrier with 30" x 48" Window, Mobile Leaded Barrier with 36" x 48" Window, MRI-Safe Mobile Leaded Aluminum Barrier with 36" x 48" Window, and Mobile Leaded Barrier with 72" x 36" Window.

SPECIFICATION

TYPE: Barrier Replacement Caster

LOAD CAPACITY: 100kg


SIZE: 75mm (3 in) Wheel Diameter

CONTACT

Should you need any further information,
please do not hesitate to contact us.

123 Lincoln Blvd, Middlesex, NJ 08845, USA 

+1 (866) 757 1307 

service@phillips-safety.com 

www.phillips-safety.com 