PHILLIPS-SAFETY.COM

COPYRIGHT ©2025. ALL RIGHTS RESERVED






The CR39 laser safety glasses have a polycarbonate clear lens filter that provides laser protection. These laser glasses have visible light transmission of 85%. In addition, the CR39 laser safety glasses have ANSI Z87.1 and ANSI Z136.1 safety standards. These laser safety glasses 808 is a durable and lightweight wrap around frame. Made of high-quality plastic, the 808 laser safety glasses feature rubberized nosepads and rubberized temple bars. These Phillips Safety laser safety glasses are available in black and silver. Plus, it is prescription available.

FRAME SPECIFICATION 17mm 60mm 120mm 138mm

LASER PROTECTIVE EYEWEAR

LENS FILTER SPECIFICATIONS



PROTECTION OPTION Co2/Erbium

LENS BLANK PART NUMBER LS-CR39-LB

LENS SPECIFICATION

PROTECTION SPECIFICATIONS

OD 7+ @190-340nm OD 7+ @2760-3470nm OD 7+ @5000-11000nm LENS TYPE CR39


MATERIAL Polycarbonate

SAFETY RATING ANSI Z87.1, ANSI Z36.1

VISIBLE LIGHT TRANSMISSION 85.0%

COLOR Clear

WAVELENGTH CHART



This is to certify that our product listed above meets all Safety Requirements as specified by ANSI Z87.1 and is manufactured to the tolerances required by law. This filter has been tested and conforms to ANSI Z136.1 standards for Laser protection. They are manufactured by Phillips Sadert Products, Inc. in the City of Middlesex, County of Middlesex, and State of New Jersey in the United States of America. All components and final assemblies are included and originate from our location at 123 Lincoln Boulevard, Middlesex, NJ 08846.

Any questions from interested parties can be directed to the undersigned below.

Ryan Phillips | Vice President | Phillips Safety Products, Inc.



CONTACT

Should you need any further information, please do not hesitate to contact us.



+1 (866) 757 1307



service@phillips-safety.com



www.phillips-safety.com



