ERGO L-BLOCK SHIELD

PHILLIPS-SAFETY.COM COPYRIGHT ©2025. ALL RIGHTS RESERVED






The Ergo L-Block Shield is a versatile and dependable choice for both a drawing station and a storage shield for unit doses. Designed with functionality and safety in mind, this shield ensures easy access while providing superior protection. The multifunctional design of the Ergo L-Block Shield offers unparalleled convenience in your workflow. For enhanced safety, you can equip the shield with side shields or lead bricks to form additional walls, providing extra protection when handling higher activity levels.

Phillips Safety offers the Ergo L-Block Shield in three lead equivalencies to meet your specific needs. The first option features a 0.25" lead equivalence window and a 0.50" lead equivalent front panel, the second option boasts a 0.50" lead equivalence window and a 0.50" lead equivalent front panel, and the third option offers a 0.80" lead equivalence window and a 1.0" lead equivalent front panel. All options are designed to provide optimal protection and customization, ensuring compatibility with side shields and lead bricks for creating additional protective barriers.

SPECIFICATION

MATERIAL: Lead SHAPE: L-block	PROTECTION LEVELS:
DIMENSIONS: 24"L x 17"W x 27.5"H	Option 1: .25"pb Lead Window .50"pb Lead Opaque Panel
WINDOW SIZE: 15.5"W x 12.5"H	Option 2: .50"pb Lead Window .50"pb Lead Opaque Panel
FUNCTION: Drawing station and storage shield for unit doses	Option 3: .80"pb Lead Window 1.0"pb Lead Opaque Panel

PRODUCT INFORMATION



CONTACT

Should you need any further information,



service@phillips-safety.com \mathbb{X}



www.phillips-safety.com



PHILLIPS-SAFETY.COM