

# SINGLE PIVOT IMAGING TABLE SHIELD

PRODUCT INFORMATION

[PHILLIPS-SAFETY.COM](http://PHILLIPS-SAFETY.COM)

COPYRIGHT ©2025. ALL RIGHTS RESERVED



**PHILLIPS SAFETY**  
PRODUCTS INC.

## PRODUCT INFORMATION

### SINGLE PIVOT IMAGING TABLE SHIELD



Engineered for modern fluoroscopy and interventional suites, our Phillips Safety exclusive Radgenic® Swing Arm Table Shield delivers 0.50 mm Pb equivalent, providing protection exactly where scatter is most intense—above and below the tabletop—without slowing down your workflow. Why It's Better:

- R/F Sealed seams, conform to CDC efficacy guidelines
- The shield's polyurethane outer layer with R/F sealed seams wipes clean with standard disinfectants, eliminating stitched seams that can trap bioburden and shorten product life. The sealed seams conform to CDC efficacy guidelines.
- True Dual-Zone Coverage
- Top Shield (24" W × 10" H) – removable panel blocks back-scatter coming up through the patient.
- Pleated Shield (24" W × 24" H) – The pleated section follows the C-arm under-table arc to stop stray radiation at its source.
- Universal Side-Rail Socket
- It slides onto any imaging table with standard side rails. Hand knobs lock it in place in seconds—no tools are required.
- Single-Pivot Swing Arm
- Pivot the shield parallel or perpendicular to the table for fast, one-handed positioning during cardiac, vascular, or pain-management cases.

At-a-Glance Features:

- 0.50 mm Pb equivalent lead-vinyl core (meets ASTM & IEC attenuation targets)
- Lightweight anodized-aluminum arm for smooth movement and long service life
- Quick-release mechanism lets you detach the top shield for easy cleaning or re-configuration
- Radgenic® fabric resists cracks, pinholes, and discoloration even after repeated disinfection cycles.

Give your staff the protection they need without adding clutter to the procedure room. The Phillips Safety Radgenic® Swing Arm Table Shield is the smart, durable solution for reducing scatter dose—every case, every day.

## SPECIFICATION

**LEAD EQUIVALENCY: 0.50mm Pb Eq**

**TOP SHIELD DIMENSIONS: 24"W × 10"H**

**MATERIAL: Radgenic®, Polyurethane coated fabric**

**PLEATED SHIELD DIMENSIONS: 24" x 24"**

**COLOR: Blue**

# CONTACT

Should you need any further information,  
please do not hesitate to contact us.

123 Lincoln Blvd, Middlesex, NJ 08846, USA 

+1 866 575 1307 

service@phillips-safety.com 

www.phillips-safety.com 