# **D680 LASER SAFETY GLASSES 300**

PRODUCT INFORMATION

PHILLIPS-SAFETY.COM

COPYRIGHT ©2025. ALL RIGHTS RESERVED




### PRODUCT INFORMATION


### D680 LASER SAFETY GLASSES 300



The D680 laser safety glasses have a polycarbonate green lens filter that provides laser protection. These laser glasses have visible light transmission of 50%. In addition, the D680 laser safety glasses have ANSI Z87.1 and ANSI Z136.1 safety standards. These laser safety glasses 300 is a durable and lightweight rectangular frame. Made of high-quality plastic, the 300 laser safety glasses feature adjustable temples and permanent side shields. These Phillips Safety laser safety glasses are available in black.

### FRAME SPECIFICATION





# LASER PROTECTIVE EYEWEAR

**LENS FILTER SPECIFICATIONS** 



PROTECTION OPTION D680

LENS BLANK PART NUMBER LS-D680-LB

## LENS SPECIFICATION

#### PROTECTION SPECIFICATIONS

OD 6+ @190-409nm OD 2+ @708-749nm

OD 3+ @750-1115nm

OD 5+ @794-912nm

OD 6+ @913-1077nm OD 6+ @10600nm LENS TYPE D680


MATERIAL Polycarbonate

SAFETY RATING ANSI Z87.1, ANSI Z136.1

**VISIBLE LIGHT TRANSMISSION** 50%

**COLOR** Green

### **WAVELENGTH CHART**



This is to certify that our product listed above meets all Safety Requirements as specified by ANSI Z87.1 and is manufactured to the tolerances required by law. This filter has been tested and conforms to ANSI Z136.1 standards for Laser protection. They are manufactured by Phillips Safety Products, Inc. in the City of Middlesex, County of Middlesex, and State of New Jersey in the United States of America. All components and final assemblies are included and originate from our location at 123 Lincoln Boulevard, Middlesex, NJ 08846.

Any questions from interested parties can be directed to the undersigned below.

Ryan Phillips | Vice President | Phillips Safety Products, Inc.



# CONTACT

Should you need any further information,



+1 866 575 1307



service@phillips-safety.com



www.phillips-safety.com



