

ERYAG LASER SAFETY GLASSES 33

PRODUCT INFORMATION

PHILLIPS-SAFETY.COM

COPYRIGHT ©2025. ALL RIGHTS RESERVED




PHILLIPS SAFETY
PRODUCTS INC.

PRODUCT INFORMATION
ERYAG LASER SAFETY GLASSES 33




The ERYAG laser safety glasses have a polycarbonate clear lens filter that provides laser protection. These laser glasses have visible light transmission of 91%. Plus, the ERYAG laser safety glasses meet ANSI Z87.1 and ANSI Z136.1 safety standards. Moreover, these laser safety glasses 33 have a durable and lightweight fitover frame. Made of high-quality plastic, the 33 laser safety glasses feature adjustable temple bars and integrated side shields. In addition, these Phillips Safety laser safety glasses are available in black.

FRAME SPECIFICATION



LASER PROTECTIVE EYEWEAR

LENS FILTER SPECIFICATIONS



PROTECTION OPTION Erbium ND YAG

LENS BLANK PART NUMBER LS-ERYAG-LB

LENS SPECIFICATION

PROTECTION SPECIFICATIONS

OD 8+ @190-395nm
OD 8+ @2770-3000nm

LENS TYPE ERYAG


MATERIAL Polycarbonate

SAFETY RATING ANSI Z87.1, ANSI Z136.1

VISIBLE LIGHT TRANSMISSION 91%

COLOR Clear

WAVELENGTH CHART



This is to certify that our product listed above meets all Safety Requirements as specified by ANSI Z87.1 and is manufactured to the tolerances required by law. This filter has been tested and conforms to ANSI Z136.1 standards for Laser protection. They are manufactured by Phillips Safety Products, Inc. in the City of Middlesex, County of Middlesex, and State of New Jersey in the United States of America. All components and final assemblies are included and originate from our location at 123 Lincoln Boulevard, Middlesex, NJ 08846.

Any questions from interested parties can be directed to the undersigned below.

Ryan Phillips | Vice President | Phillips Safety Products, Inc.

CONTACT

Should you need any further information,
please do not hesitate to contact us.

123 Lincoln Blvd, Middlesex, NJ 08846, USA 

+1 866 575 1307 

service@phillips-safety.com 

www.phillips-safety.com 