

HENE LASER SAFETY GLASSES 16001

PRODUCT INFORMATION

PHILLIPS-SAFETY.COM

COPYRIGHT ©2025. ALL RIGHTS RESERVED




PHILLIPS SAFETY
PRODUCTS INC.

PRODUCT INFORMATION
HENE LASER SAFETY GLASSES 16001



The HENE laser safety glasses have a polycarbonate blue/teal lens filter that provides laser protection. These laser glasses have visible light transmission of 36.5%. In addition, the HENE laser safety glasses have ANSI Z87.1 and ANSI Z136.1 safety standards. These laser safety glasses 16001 is a durable and lightweight wrap around frame. Made of high-quality plastic, the 16001 laser safety glasses feature adjustable nose pads. These Phillips Safety laser safety glasses are available in black/blue.

FRAME SPECIFICATION



LASER PROTECTIVE EYEWEAR

LENS FILTER SPECIFICATIONS



PROTECTION OPTION Hene Alignment

LENS BLANK PART NUMBER LS-HENE-LB

LENS SPECIFICATION

PROTECTION SPECIFICATIONS

OD 7+ @190-382nm
OD 2+ @633nm
OD 5+ @694-716nm

LENS TYPE HENE

MATERIAL Polycarbonate


SAFETY RATING ANSI Z87.1, ANSI Z136.1

VISIBLE LIGHT TRANSMISSION 36.5%

COLOR Blue/Teal

WAVELENGTH CHART

HENE OD Chart



This is to certify that our product listed above meets all Safety Requirements as specified by ANSI Z87.1 and is manufactured to the tolerances required by law. This filter has been tested and conforms to ANSI Z136.1 standards for Laser protection. They are manufactured by Phillips Safety Products, Inc. in the City of Middlesex, County of Middlesex, and State of New Jersey in the United States of America. All components and final assemblies are included and originate from our location at 123 Lincoln Boulevard, Middlesex, NJ 08846.

Any questions from interested parties can be directed to the undersigned below.

Ryan Phillips | Vice President | Phillips Safety Products, Inc.

CONTACT

Should you need any further information,
please do not hesitate to contact us.

123 Lincoln Blvd, Middlesex, NJ 08846, USA 

+1 866 575 1307 

service@phillips-safety.com 

www.phillips-safety.com 